



IFW

PATENT  
Customer No. 22,852  
Attorney Docket No. 09812.0485

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of: )  
 )  
Goro FUJITA ) Group Art Unit: 1634  
 )  
Application No.: 10/526,139 )  
 ) Examiner: Crow, Robert Thomas  
Filed: February 25, 2005 )  
 )  
For: SUBSTRATE FOR BIOASSAY, )  
 ) Confirmation No.: 6282  
DEVICE FOR INTERPRETING )  
SUBSTRATE INFORMATION, )  
AND METHOD FOR )  
INTERPRETING SUBSTRATE )  
INFORMATION )

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**RESPONSE TO RESTRICTION REQUIREMENT**

In a Restriction Requirement mailed November 13, 2006, the period for response to which extends through December 13, 2006, the Examiner required restriction under 35 U.S.C. § 121 between the following groups of claims:

- Group I - Claims 1-6, characterized by the Examiner as being drawn to disk-shaped bioassay substrates;
- Group II - Claims 7-8, characterized by the Examiner as being drawn to devices for interpreting substrate information; and
- Group III - Claims 9-10, characterized by the Examiner as being drawn to methods for interpreting substrate information.

Applicant provisionally elects to prosecute Group 1, claims 1-6.

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,  
GARRETT & DUNNER, L.L.P.

Dated: December 1, 2006

By: 

Michael R. Kelly  
Reg. No. 33,921